


SENSORFLOW 21

A4178AA

SENSORFLOW 21 | Wall-mounted basin tap 53x171x113 mm, 150 mm spout projection in chrome finish, 4.7 l/min (3 bar), no waste | Touchless control, SmartShine

Image & drawing

Armitage
Shanks



General information

Product type:	Washbasin mixers
Sub product type:	Wall-mounted basin tap
Brand:	Armitage Shanks
Suite name:	SENSORFLOW 21
Designer:	Artefakt
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	113
Width (mm):	53
Length / Projection (mm):	171
Net weight (kg):	2.15
EAN code:	4015413305631

All spouts supplied complete with individual solenoid valve, copper tube inlet and combined servicing valve and filter. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework). Spouts with integral sensors detect hands within the sensing range and the solenoid valve is opened. Automatically shuts off if sensor is obstructed for a maximum of 50 seconds. Mains powered transformer with option to use up to 5 link units per main unit or stand alone battery powered units. Regulated flow rate 4.7 litres per minute at 1 bar. Mains powered Sensorflow products must be connected to a continuous permanent power supply of these require 220-240 volts and each 1 having its own fuse spur.

Features



Touchless control



SmartShine

Downloads

- [Installation Guide](#)
- [Spare Parts List](#)

Product standard & certifications

Additional standards:	EN 248 DIN 4109-1 EN 15091
WRAS certificate name:	1710043

Product specifications

Amount of handles:	0
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	No
Easy Fix technology:	No
Includes a chain eye:	No
Integrated electronics:	Yes
Low-pressure model:	No
Material:	Metal

SENSORFLOW 21

A4178AA

SENSORFLOW 21 | Wall-mounted basin tap 53x171x113 mm, 150 mm spout projection in chrome finish, 4.7 l/min (3 bar), no waste | Touchless control, SmartShine

Product specifications

Material quality:	Brass
Max. flow rate at 3 bar (l):	4.7
Max. flow rate at 3 bar (l) for all outlets:	4.7
Max. flow rate at 3 bar (l) for spout:	4.7
Max. operating pressure (bar):	5
Min. operating pressure (bar):	0.1
Operating method:	Contactless
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Surface cover:	chromium-plated
Surface finish effect:	glossy
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Touchless control:	Yes
Type of temperature control:	None
With drain plug:	No
With escutcheon(s):	No
With handle(s):	No
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Mounting method:	Tap hole

Your local contact:

België • Belgique

Ideal Standard Produktions GmbH
Ikaroslaan 18
B-1930 Zaventem
☎ +32 2 325 66 00
✉ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
✉ +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS
Fynsvej 9
5500 Middelfart (Denmark)
☎ +45 75 84 10 10
www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
✉ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
www.idealstandard.de

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
www.idealstandard.ie

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 N.
Ψυχικό, Αθήνα
☎ +2106790800
www.idealstandard.gr

France

Ideal Standard France - Siège social
39Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
www.idealstandard.it

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
✉ +31 (0)-77 354 21 86
www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
✉ +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska
Ul. Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
www.idealstandard.po

România

Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1, Sector 1
București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br.8
11000 Beograd Srbija
☎ +381 11 7138 058
www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
✉ +44 (0)-1482 445 886
www.idealstandard.co.uk